

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in



drug stored under nitrogen in blister pack

Search

Advanced

Web Show options...

Results 1 - 10 of about 49,000 fo

Recycling Expensive Medication: Why Not?

by JM Pomerantz - 2004 - Cited by 5 - Related articles

[34] Not all **blister packaging** works as well. In the same study, ... It is even feasible to blister package **under nitrogen** or argon to reduce the oxygen in and fill out a form establishing that the medicine was properly **stored** and ...

www.ncbi.nlm.nih.gov › Journal List › MedGenMed › v.6(2); 2004

Sublingual **drug** delivery device - Patent 7658721

by SS Steiner - 2010

Feb 9, 2010 ... In yet another embodiment, the **drug** formulation is **stored** on a ribbon **drug** from a **blister pack** pierced by the first hollow tube. ... Further, an individual who has a foreign substance located **under** the Examples of suitable gases include **nitrogen**, carbon dioxide, nitrous oxide, and air. ...

www.freepatentsonline.com/7658721.html

Orapred ODT (Prednisolone Sodium Phosphate) **Drug** Information: Uses ...

Apr 10, 2009 ... (listed alphabetically **under** each subsection): ... Metabolic: Negative **nitrogen** balance due to protein catabolism. Dry your hands before peeling back the foil on the **blister pack** to carefully remove a tablet. STORAGE: **Store** at room temperature between 68-77 degrees F (20-25 degrees C) ...

www.rxlist.com/orapred-odt-**drug**.htm - Cached - Similar

Complete Testosterone information from **Drugs.com**

Store blister packs (Striant) at controlled room temperature (68° to 77°F). ... Do not remove buccal system from **blister pack** until ready to apply. ... Pruritus at application site (37%); burn[†], like blister reaction **under** system (12%); ... water; electrolyte changes (eg, calcium **nitrogen**, phosphorus, potassium, ...

www.drugs.com/ppa/testosterone.html - Cached - Similar

Monistat 3 Official FDA information, side effects and uses.

Drugs.com - **Drug** Information and Side Effects Online Skip to Content. Search: Search Button 1, 3 SUPPOSITORY In 1 **BLISTER PACK**, None ...

www.drugs.com/pro/monistat-3.html - Cached - Similar

Show more results from www.drugs.com

Packaging Solutions - Patent application - **Packaging** systems for ...

A packaging system includes an ophthalmic device **stored** in an aqueous packaging These lenses can provide optical correction, wound care, **drug** delivery, Preferably, the sealed container is a hermetically sealed **blister-pack**, Then, while **under nitrogen** blanket, the contents were heated at 80.degree. ...

www.faqs.org/patents/app/20090173045 - Cached

Align Daily Probiotic Supplement Can Help Restore Your Natural ...

No, Align is a daily probiotic dietary supplement—it is not a **drug** or a medicine. You should **store** the blister package at or below room temperature (24° C/75° F). we recommend that you **store** Align in its original **blister pack**. ...

www.aligngi.com/align-FAQ - Cached - Similar

RxMed: Pharmaceutical Information - LOVENOX

The comprehensive resource for physicians, **drug** and illness information Prefilled syringes of 0.3 mL, cartons of 10, each in individual **blister pack**. 40 mg/0.4 mL: Each syringe contains: ... **Nitrogen** is used in the headspace to inhibit oxidation. **Store** at room temperature (15 to 25°C). Protect from heat.

www.rxmed.com/b.main/b2.../b2.1.../LOVENOX.html - [Cached](#) - [Similar](#)

[Medical Packaging Materials Information | Business.com](#)

This is performed **under** specific conditions to maintain sterility. ... A **blister pack** is plastic packaging that is heat formed to a specific shape. ... Modified atmosphere packaging is the process of inserting a **drug** or device inside a package filled ... Online medical supply **store!** All your medical supply needs. ...

www.business.com > ... > Packaging Materials - [Cached](#) - [Similar](#)

[NeuroSAME : Amen Clinics](#)

NeuroSAME **Blister Pack**. SAME is a naturally occurring metabolite found in the ... to its stability in the **nitrogen** blister packs and maximized bioavailability by ... should not take SAME unless **under** professional medical supervision. ... These statements have not been evaluated by the Food and **Drug** Administration. ...

www.amenclinics.com/store/index.php?main_page=product... - [Cached](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

drug stored under nitrogen in blister pack

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied?](#) [Help us im](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Priva](#)

Web Images Videos Maps News Shopping Gmail more ▾

Sign in

Google scholar

Blister, headspace oxygen

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar Results 1 - 10 of about 406. (

Rapid headspace oxygen analysis for pharmaceutical packaging applications

AC TEMPLETON, YHR Han, R Mahajan, RT ... - Pharmaceutical ..., 2002 - cat.inist.fr

... Emballage coque; **Blister** packaging; Embalaje capullo; Dégradation; Degradation; Degradación; Méthode étude; Investigation ... synthèse; Review; Artículo síntesis; Emballage; Packaging; Empaque; Oxygène; **Oxygen**; Oxígeno; Espace tête; **Headspace**; Espacio cabeza.

[Cited by 10](#) - [Related articles](#) - [BL Direct](#)

Use of oxygen scavengers to stabilize solid pharmaceutical dosage forms: a case ...

KC Waterman, MC Roy - Pharmaceutical development and ..., 2002 - informaworld.com

... indicative of the rapid rate that the **oxygen** scavenger was able to consume the **headspace oxygen**. ... compound, rapid oxidative degradation is eliminated effectively by the addition of the **oxygen** scavengers. ... Alternatively, **blister** packaging with **oxygen** absorption capacity could ...

[Cited by 10](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

The effect of inert atmospheric packaging on oxidative degradation in formulated ...

R Mahajan, A Templeton, A Harman, RA Reed, ... - Pharmaceutical ..., 2005 - Springer

... The % **oxygen** and the relative humidity in the **head- space** of the vials were monitored throughout ... selective electrode for **oxygen** determina- tion was used for measuring the **oxygen** concentration (4 ... The instrument was set to withdraw 2 ml of **headspace** using a small internal ...

[Cited by 3](#) - [Related articles](#) - [All 4 versions](#)

Headspace Oxygen Analysis in Pharmaceutical Products

AC Templeton, RA Reed - 2004 update supplement, 2004 - books.google.com

... for the approach. (c) **Blister** packages: The small volume of individual **blister** cavities make this the most challenging of the various pharmaceutical packages to analyze for **headspace oxygen** levels. The challenges are twofold ...

[Related articles](#) - [All 2 versions](#)

[PDF] Rapid Headspace Oxygen Analysis

R RH, RHRR ROO - Pharmaceutical Technology, 2002 - pharmtech.com

... The lin- earity of the analytical method was evaluated for **oxygen** over the range ... analysis approach to large-dimension pharmaceutical packaging types with 2-mL **headspace** volume such as HDPE bottles, glass vials, and blis- ter packages (individual **blisters**) of sufficient ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Rapid, simultaneous determination of headspace oxygen and moisture in ...

H Xu, AC Templeton, M Zwierzynski, R Mahajan ... - ... of pharmaceutical and ..., 2005 - Elsevier

... Finally, studies showing the applicability of μ GC for the simultaneous measurement of **headspace oxygen**/moisture in **blister** packaging and other common pharmaceutical packaging are presented. 2. Experimental. 2.1. Materials. 2.1.1. **Headspace oxygen** standard preparation. ...

[Related articles](#) - [All 3 versions](#)

Dispensing unit for oxygen-sensitive drugs

KC Waterman - US Patent App. 10/099,646, 2002 - Google Patents

... The source of the **oxygen** being removed is primarily from the **headspace** and not from ingress. ... of the **blister** and then the lid is laminated to it thus sealing the **blister** to encapsulate ... 2002 though this is expensive and generally does not lead to very low **oxygen head-space** levels. ...

[All 3 versions](#)

OXYGEN ABSORBING PLASTIC STRUCTURE

S Solovyov, TH Powers - 2008 - freepatentsonline.com

... FIG. 1. Typical **blister** pack structure cross section ... provide a way to design and manufacture packaging structures with dual functionalities of rapid **head space** absorption and ... The invention provides a material structure that provides a high rate of absorption of **headspace oxygen**. ...

[All 3 versions](#)

Stabilization of pharmaceuticals to oxidative degradation

KC Waterman, RC Adami, KM Alsante, J ... - Pharmaceutical ..., 2002 - informaworld.com

... More thorough removal of **oxygen** in the **headspace** can be accomplished by a freeze-pump-thaw cycle. ... 4. **Oxygen** in the **headspace**. Both **oxygen** enriched and inert atmosphere samples can provide an indication of the tendency for a drug to oxidize in a particular formulation. ...

[Cited by 65](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

SCAVENGING OXYGEN

M Rule, RJ Valus, SB Tatum, AP Brierley - 2010 - freepatentsonline.com

... that the containers include but are not limited to sachets, bottles, jars, bags, pouches, trays, pails, tubs, barrels, **blister** packs, or ... The internal **headspace oxygen** content over time was then tracked using the Oxysense™ test methodology, with calibration against standards being ...

[All 4 versions](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google